




Visual Technology Solutions





DOUBLE-SIDED QLED DIGITAL SIGNAGE







C A T A L O G

Double-Sided QLED Digital Signage

Ceiling Hanging

Size	Models			
43"/55"	A**D-HG	A**D-HS	A**D-VG	A**D-VF
				

Floor Standing

Size	Models			
43"/55"	A**D-ST	A**D-IS	A**D-NS	A**D-FS
				

Display screen and System

Panel Type	LG (TFT-LCD+LED back lights)	CPU	Rockchip Cortex A17 1.8GHz
Display ratio	16:09	System	Android 5.1
Resolution Ratio	1920*1080	Mainboard	RK3288
Response Time	6.5ms	System RAM	2G DDR3
Brightness	450cd/m*2	System RoM	8G
Visual Angle	178°/178°(H/V)	Network	RJ45 Ethernet, Wifi, and other wireless device extended (4G and bluetooth optional)
Color	1.07 Billion	Contrast	4000:1
Service Life	50,000 Hrs	Storage	TF/USB
Display	Rotate, two screen display the same, two screen display different, picture in picture		

Video/audio			
Video format	WMV, AVI, FLV, RM, RMVB, MPEG, TS, MP4	Audio	built-in HD audio system
Photo format	JPG, JPEG, BMP, PNG, GIF	Audio format	WAVE/MP3/WMA/AAC
Input	2 x USB, 1X HDMI, TFX1, LANX1, SATAX1	Output	SIGNAL DISPLAYX2
Play Mode	Repeat, Timing, Insert Play etc.	Speaker	10WX2
Special function	RTC real time clock timer on/off, extend SATA hard disk		

Power	
Power	AC100-240V 50/60Hz
Consumption	150W; standby: 0.5W
Environment	Operating Temperature : 0°C to 40°C Humidity: 10%-80%

Spare parts	
Bracket	Ceiling bracket, main box, cover, wirerope X2, Hanging square tube (only for ceiling hanging display)
Accessories	remote controller, power cable, installation guide
Environment	Operating Temperature : 0°C to 40°C Humidity: 10%-80%

Weight and Packaging					
Ceiling Hanging	G.W (KG)	Size (MM)	Floor Standing	G.W (KG)	Size (MM)
A43D-HG	40	1240*26*880	A43D-ST	75	810*650*1960
A43D-VG	46	1300*190*740	A43D-IS	55	595*363*1530
A43D-VF	45	1300*190*740	A43D-NS	52	594*380*1576
A43D-HS	42	1240*26*880	A43D-FS	78	1400*720*170
A55D-HG	55	1600*270*1020	A55D-ST	85	1000*650*2250
A55D-VG	53	1600*270*1020	A55D-IS	65	870*550*2135
A55D-VF	51	1600*270*1020	A55D-NS	82	1050*600*2250
A55D-HS	58	1584*260*1030	A55D-FS	103	1050*620*2275