



Visual Technology Solutions








# STAGE LASER LIGHTS



C A T A L O G












# Stage Laser Lights

Single Lens Laser Series					
Image	Model	Description	Package Size / Unit	Weight (KG) / Unit	PCS/CTN
	AS02R	Single Red 200mW 650nm Laser Light Control modes: Sound, AUTO, DMX512 -CH7, Master-Slave Scanning: Micro-step motor scanning at big angle Beams: over 100 laser patterns, over 300 laser effects, such as wave, tunnel, circle, dots Voltage: 110V to 220V-250V, 50/60HZ	540*340*400mm	NW: 1.72KG GW: 2.33KG Carton: 10.2KG	4pcs/Carton
	AS005G	Single Green 50mW 532nm Laser Light Control modes: Sound, AUTO, DMX512 -CH7, Master-Slave Scanning: Micro-step motor scanning at big angle Beams: over 100 laser patterns, over 300 laser effects, such as wave, tunnel, circle, dots Voltage: 110V to 220V-250V, 50/60HZ	540*340*400mm	NW: 1.72KG GW: 2.33KG Carton: 10.2KG	4pcs/Carton
	AS10B	Single Blue 1000mW 450nm Laser Light Control modes: Sound, AUTO, DMX512 -CH7, Master-Slave Scanning: Micro-step motor scanning at big angle Beams: over 100 laser patterns, over 300 laser effects, such as wave, tunnel, circle, dots Voltage: 110V to 220V-250V, 50/60HZ	540*340*400mm	NW: 1.9KG GW: 2.5KG Carton: 10.8KG	4pcs/Carton
	AS01RG	RG 100mW (Red 80mW 650nm, Green 20mW 532nm) Single Len Laser Light Control modes: Sound, AUTO, No DMX Scanning: Micro-step motor scanning at big angle Beams: over 100 laser patterns, over 300 laser effects, such as wave, tunnel, circle, dots Voltage: 110V to 220V-250V, 50/60HZ	560*510*220mm	NW: 0.97KG GW: 1.1KG Carton: 20.7KG	8pcs/Carton
	AS25RGB	RGB 250mW (Red 80mW 650nm, Green 20mW 532nm, Blue 150mW 450nm) Single Len Laser Light Control modes: Sound, AUTO, No DMX Scanning: Micro-step motor scanning at big angle Beams: over 100 laser patterns, over 300 laser effects Voltage: 110V to 220V-250V, 50/60HZ	560*510*220mm	NW: 0.97KG GW: 1.1KG Carton: 20.7KG	8pcs/Carton
	AS23RGB	RGB 230mW (Red 100mW, Green 30mW, Blue 100mW 470nm) Single Len Laser Light Control modes: Sound active, AUTO, DMX512(9CH), Master/Slave Scanning: Micro-step motor scanning at big angle Beams: more than 100 patterns, unique blanking effect Voltage: 110V to 220V-250V, 50/60HZ	540*340*400mm	NW: 1.72KG GW: 2.33KG Carton: 10.2KG	4pcs/Carton
	AS125RGB	RGB 1250mW (Red 400mW, Green 150mW, blue 700mW 450nm) Single Len Laser Light Control modes: Sound active, AUTO, DMX512(9CH), Master/Slave Scanning: Micro-step motor scanning at big angle Beams: more than 100 patterns, unique blanking effect Voltage: 110V to 220V-250V, 50/60HZ	490*380*460mm	NW: 4.5KG GW: 5KG Carton: 11KG	2pcs/Carton








\*Any color/power (watt) can be customized. Your specification request would be fulfilled by **Arkadiko Technology**.



Multi Lens Laser Series					
Image	Model	Description	Package Size / Unit	Weight (KG) / Unit	PCS/CTN
	AM2005G	Double GG 50mW (Green 25mW+ Green25mW) Laser Light Control modes: Sound active, AUTO, DMX512(7CH), Master/Slave Scanning: Micro-step motor scanning at big angle Beams: 100 patterns with blended beam effect from two apertures Voltage: 110V to 220V-250V, 50/60HZ	580*430*400mm	NW: 2.56KG GW: 3.19KG Carton: 13.9KG	4pcs/Carton
	AM220B	Double BB 2000mW (Blue 1000mW+ Blue 1000mW 450nm) Laser Light Control modes: Sound active, AUTO, DMX512(7CH), Master/Slave Scanning: Micro-step motor scanning at big angle Beams: 100 patterns with blended beam effect from two apertures Voltage: 110V to 220V-250V, 50/60HZ	580*430*400mm	NW: 2.9KG GW: 3.6KG Carton: 15.5KG	4pcs/Carton
	AM215RG	Double RG 150mW(Red 100mW + Green 50mW) Laser Light Control modes: Sound active, AUTO, DMX512(7CH), Master/Slave Scanning: Micro-step motor scanning at big angle. Beams: 100 patterns with blended beam effect from two apertures Voltage: 110V to 220V-250V, 50/60HZ	580*430*400mm	NW: 2.56KG GW: 3.19KG Carton: 13.9KG	4pcs/Carton
	AM303R	Three Lens Red 300mW(3 x Red 100mW 650nm) Laser Light Control modes: Sound, AUTO, DMX512(7/9), Master-Slave DMX modes: Can set light ON/OFF, output lens selection with adjustable speed, flash output lens selection with adjustable speed, spin direction with adjustable speed	480*440*500mm	NW: 1.7KG GW: 2.3KG Carton: 19KG	8pcs/Carton
	AM3015G	Three Lens Green 150mW(3 x Green 50mW 532nm) Laser Light Control modes: Sound, AUTO, DMX512(7/9), Master-Slave DMX modes: User can set light ON/OFF, output lens selection with adjustable speed, flash output lens selection with adjustable speed, spin direction with adjustable speed	480*440*500mm	NW: 1.9KG GW: 2.4KG Carton: 20.4KG	8pcs/Carton
	AM3045B	Three Lens Blue 450mW(3 x Blue 150mW 450nm) Three Lens Laser Light Control modes: Sound, AUTO, DMX512(7/9), Master-Slave DMX modes: Can set light ON/OFF, output lens selection with adjustable speed, flash output lens selection with adjustable speed, spin direction with adjustable speed	480*440*500mm	NW: 1.7KG GW: 2.2KG Carton: 18.5KG	4pcs/Carton
	AM3025RG	Three Lens RG 250mW(2xRed 100mW 650nm, 1xGreen 50mw) Three Lens Laser Control modes: Sound, AUTO, DMX512(7/9), Master-Slave DMX modes: Can set light ON/OFF, output lens selection with adjustable speed, flash output lens selection with adjustable speed, spin direction with adjustable speed	480*440*500mm	NW: 1.7KG GW: 2.3KG Carton: 19.3KG	2pcs/Carton
	AM303RGB	Three Lens RGB 300mW(Red 100mW, Green 50mw, Blue 150mw) Laser Light Control modes: Sound, AUTO, DMX512(7/9), Master-Slave DMX modes: User can set light ON/OFF, output lens selection with adjustable speed, flash output lens selection with adjustable speed, spin direction with adjustable speed	480*440*500mm	NW: 1.7KG GW: 2.2KG Carton: 19KG	2pcs/Carton
	AM4025GR	Four Head GRGR 250mW Four Tunnel (2xRed:100mW+ 2xGreen: 25mW) Laser Control modes: Sound, AUTO, DMX512(11CH), Master-Slave Beams: More than 100 patterns with blended beam effect from four apertures; Each laser beams can be shown one by one from four apertures, or scan separately towards different direction on systematic procedure	660*300*410mm	NW: 4.26KG GW: 5.12KG Carton: 11.2KG	2pcs/Carton

\*Any color/power (watt) can be customized. Your specification request would be fulfilled by Arkadiko Technology.












Multi Lens Laser Series					
Image	Model	Description	Package Size / Unit	Weight (KG) / Unit	PCS/CTN
	AM4043FY	Four Head RGBY 430mW(R:100mW+ G:50mW +B:150mW+Yellow:130mW) Control modes: Sound, AUTO, DMX512(11CH), Master-Slave Beams: More than 100 patterns with blended beam effect from four apertures; Each laser beams can be shown one by one from four apertures, or scan separately towards different direction on systematic procedure	660*300*410mm	NW: 4.26KG GW: 5.12KG Carton: 11.2KG	4pcs/Carton
	AM5036RG	Five Head RGRGR 360mW(3xRed:100mW+ 2xGreen:30mW) Control modes: Sound, AUTO, DMX512(11CH), Master-Slave Beams: More than 100 patterns with blended beam effect from five apertures; Each laser beams can be shown one by one from five apertures, or scan separately towards different direction on systematic procedure	960*290*410mm	NW: 5.8KG GW: 6.8KG Carton: 14.7KG	4pcs/Carton
	AM5063FY	Five Head RGBPY 630mW (Blue:150mW 470nm+Rose:200mW+Green:30mW + Yellow:150+ Red: 100mW) Control modes: Sound, AUTO, DMX512(11CH), Master-Slave Beams: More than 100 patterns with blended beam effect from five apertures; Each laser beams can be shown one by one from five apertures, or scan separately towards different direction on systematic procedure	960*290*410mm	NW: 5.96KG GW: 6.96KG Carton: 15.1KG	4pcs/Carton
	AM606R	Six Head Red 600mW (6xRed:100mW 650nm) Turtle Laser Light Control modes: Sound, AUTO, DMX512, Master-Slave DMX modes: Can set light ON/OFF, output lens selection, flash output lens selection and spin direction with adjustable speed Beam angle: 300 degrees	420*440*610mm	NW: 3.8KG GW: 4.27KG Carton: 19.5KG	8pcs/Carton
	AM603G	Six Head Green 300mW (6xGreen:50mW 532nm) Turtle Laser Light Control modes: Sound, AUTO, DMX512, Master-Slave DMX modes: Can set light ON/OFF, output lens selection, flash output lens selection and spin direction with adjustable speed Beam angle: 300 degrees	420*440*610mm	NW: 3.8KG GW: 4.27KG Carton: 19.5KG	8pcs/Carton
	AM609B	Six Head Blue 900mW (6xBlue:150mW 450nm) Turtle Laser Light Control modes: Sound, AUTO, DMX512, Master-Slave DMX modes: Can set light ON/OFF, output lens selection, flash output lens selection and spin direction with adjustable speed Beam angle: 300 degrees	420*440*610mm	NW: 3.8KG GW: 4.27KG Carton: 19.5KG	4pcs/Carton
	AM606RGB	Six Head RGB 600mW (2xRed 100mW, 2xGreen 50mW, 2xBlue 150mW) Turtle Laser Light Control modes: Sound, AUTO, DMX512, Master-Slave DMX modes: Can set light ON/OFF, output lens selection, flash output lens selection and spin direction with adjustable speed Beam angle: 300 degrees	420*440*610mm	NW: 3.8KG GW: 4.27KG Carton: 19.5KG	2pcs/Carton

\*Any color/power (watt) can be customized. Your specification request would be fulfilled by Arkadiko Technology.







Laser Bar Curtain / Laser Net Series

Image	Model	Description	Package Size / Unit	Weight (KG) / Unit	PCS/CTN
	AC630R	Six Head Red 3000mW (6xRed:500mW 638nm) Fat Beam Bar Curtain Laser Light Control modes: Sound, AUTO, DMX512, Master-Slave Effect: The fat beam lasers can create cool laser curtain effects, each laser controllable DMX mode: It can set to the effects of all beams ON, one by one ON, flashing, crossing, groups effects, etc	900*230*290mm	NW: 3.1KG GW:3.8KG Carton: 16.2KG	4pcs/Carton
	AC603G	Six Head Green 300mW (6xGreen:50mW 525nm) Fat Beam Bar Curtain Laser Light Control modes: Sound, AUTO, DMX512, Master-Slave Effect: The fat beam lasers can create cool laser curtain effects, each laser controllable DMX mode: It can set to the effects of all beams ON, one by one ON, flashing, crossing, groups effects, etc	900*230*290mm	NW: 3.1KG GW:3.8KG Carton: 16.2KG	4pcs/Carton
	AC6618B	Six Head Blue 1800mW (6xBlue:300mW 450nm) Fat Beam Bar Curtain Laser Control modes: Sound, AUTO, DMX512, Master-Slave Effect: The fat beam lasers can create cool laser curtain effects, each laser controllable DMX mode: It can set to the effects of all beams ON, one by one ON, flashing, crossing, groups effects, etc	900*230*290mm	NW: 3.1KG GW:3.8KG Carton: 16.2KG	4pcs/Carton
	AC611RGB	Six Head RGB 1100mW(2xRed:200mW + 2xGreen:50mW + 2xBlue 300mW) Fat Beam Bar Curtain Laser Light Control modes: Sound, AUTO, DMX512, Master-Slave Effect: The fat beam lasers can create cool laser curtain effects, each laser controllable DMX mode: It can set to the effects of all beams ON, one by one ON, flashing, crossing, groups effects, etc	900*230*290mm	NW: 3.1KG GW:3.8KG Carton: 16.2KG	4pcs/Carton
	AC618F	Six Head RGB Full Colors 1800mW (6x 300mW RGB=100mW 638nm red + 50mW 532nm green + 150mW 450nm blue) Fat Beam Bar Curtain Laser Light Control modes: Sound, AUTO, DMX512, Master-Slave Effect: The fat beam lasers can create cool laser curtain effects, each laser controllable DMX mode: It can set to the effects of all beams ON, one by one ON, flashing, crossing, groups effects, etc	900*230*290mm	NW: 3.1KG GW:3.8KG Carton: 16.2KG	4pcs/Carton
	AC1632R	16 Head Red 3200mW (16x 200mW Red 650nm) Fat Beam Laser Rain Curtain Control modes: Sound, AUTO, DMX512(6CH), Master-Slave Effect: The single laser boxes by the contoller can create cool laser curtain/rain effects, each laser controllable DMX mode: It can set to the effects of all beams ON, one by one ON, flashing, crossing, groups effects, etc One main controller can link 32pcs laser box via RJ45 cable	small box: 188*123*126mm Controller box: 400*270*170mm Outer carton: 518*394*548mm	GW:20KG	1SET
	AC1608G	16 Head Green 800mW (16x 50mW Green) Fat Beam Laser Rain Curtain Control modes: Sound, AUTO, DMX512(6CH), Master-Slave Effect: The single laser boxes by the contoller can create cool laser curtain/rain effects, each laser controllable DMX mode: It can set to the effects of all beams ON, one by one ON, flashing, crossing, groups effects, etc One main controller can link 32pcs laser box via RJ45 cable	small box: 188*123*126mm Controller box: 400*270*170mm Outer carton: 518*394*548mm	GW:20KG	1SET
	AC1648B	16Head Red 4800mW (16x 300mW Blue) Fat Beam Laser Rain Curtain Control modes: Sound, AUTO, DMX512(6CH), Master-Slave Effect: The single laser boxes by the contoller can create cool laser curtain/rain effects, each laser controllable DMX mode: It can set to the effects of all beams ON, one by one ON, flashing, crossing, groups effects, etc One main controller can link 32pcs laser box via RJ45 cable	small box: 188*123*126mm Controller box: 400*270*170mm Outer carton: 518*394*548mm	GW:20KG	1SET
	AC1620RG	16 Head RG 2000mW ((8x200mW red 650 + 8x50mW Green) Fat Beam Laser Rain Curtain Control modes: Sound, AUTO, DMX512(6CH), Master-Slave Effect: The single laser boxes by the contoller can create cool laser curtain/rain effects, each laser controllable DMX mode: It can set to the effects of all beams ON, one by one ON, flashing, crossing, groups effects, etc	small box: 188*123*126mm Controller box: 400*270*170mm Outer carton: 518*394*548mm	GW:20KG	1SET

\*Any color/power (watt) can be customized. Your specification request would be fulfilled by Arkadiko Technology.












Laser Bar Curtain / Laser Net Series

Image	Model	Description	Package Size / Unit	Weight (KG) / Unit	PCS/CTN
	AC3264R	32 Head Red 6400mW (32x 200mW Red 650nm) Fat Beam Laser Rain Curtain Control modes: Sound, AUTO, DMX512(6CH), Master-Slave Effect: The single laser boxes by the contoller can create cool laser curtain/rain effects, each laser controllable DMX mode: It can set to the effects of all beams ON, one by one ON, flashing, crossing, groups effects, etc One main controller can link 32pcs laser box via RJ45 cable	small box: 188*123*126mm Controller box: 400*270*170mm Outer carton: 518*394*548mm	GW:36KG	Total 2 cartons for one set laser net
	AC3216G	32 Head Green 1600mW (32x 50mW Green) Fat Beam Laser Rain Curtain Control modes: Sound, AUTO, DMX512(6CH), Master-Slave Effect: The single laser boxes by the contoller can create cool laser curtain/rain effects, each laser controllable DMX mode: It can set to the effects of all beams ON, one by one ON, flashing, crossing, groups effects, etc One main controller can link 32pcs laser box via RJ45 cable	small box: 188*123*126mm Controller box: 400*270*170mm Outer carton: 518*394*548mm	GW:36KG	1SET
	AC3296B	32 Head Blue 9600mW (32x 300mW Blue) Fat Beam Laser Rain Curtain Control modes: Sound, AUTO, DMX512(6CH), Master-Slave Effect: The single laser boxes by the contoller can create cool laser curtain/rain effects, each laser controllable DMX mode: It can set to the effects of all beams ON, one by one ON, flashing, crossing, groups effects, etc One main controller can link 32pcs laser box via RJ45 cable	small box: 188*123*126mm Controller box: 400*270*170mm Outer carton: 518*394*548mm	GW:36KG	1SET
	AC3259RGB	32 Head RGB 5900mW ((12x200mW Red + 10x50mW Green+10x300mw Blue) Fat Beam Laser Rain Curtain One Set include: 1pc main controller box, 32pcs laser boxes, 1pcs power cable and 32pcs RJ45 5meters cables Control modes: Sound, AUTO, DMX512(6CH), Master-Slave Effect: The single laser boxes by the contoller can create cool laser curtain/rain	small box: 188*123*126mm Controller box: 400*270*170mm Outer carton: 518*394*548mm	GW:36KG	1SET

\*Any color/power (watt) can be customized. Your specification request would be fulfilled by Arkadiko Technology.




Moving Heads Laser Series

Image	Model	Description	Package Size / Unit	Weight (KG) / Unit	PCS/CTN
	AY918R	9 Head Red 1800mW (9x200mW) Fat Beam Moving Head Laser Bar Light Control modes: Sound, AUTO, DMX512 Master-Slave: All On, All Flash, Laser group flash. Function via LCD indicator. 2 units moving head laser lights are linked via XRL cable Beam angle: can be set to the angle at 0 to 180°. Each level is ±15°	1140*180*260mm	NW: 7.7KG Carton: 9.6KG	1pcs/Carton
	AY9045G	9 Head Green 450mW (9x50mW 532nm) Fat Beam Moving Head Laser Bar Light Control modes: Sound, AUTO, DMX512 Master-Slave: All On, All Flash, Laser group flash. Function via LCD indicator. 2 units moving head laser lights are linked via XRL cable Beam angle: can be set to the angle at 0 to 180°. Each level is ±15°	1140*180*260mm	NW: 7.7KG Carton: 9.6KG	1pcs/Carton
	AY927B	9 Head Blue 2700mW (9x30mW 450nm) Fat Beam Moving Head Laser Bar Light Control modes: Sound, AUTO, DMX512 Master-Slave: All On, All Flash, Laser group flash. Function via LCD indicator. 2 units moving head laser lights are linked via XRL cable Beam angle: can be set to the angle at 0 to 180°. Each level is ±15°	1140*180*260mm	NW: 7.7KG Carton: 9.6KG	1pcs/Carton
	AY916RGB	9 Head RGB 1650mW ((3pcs Red 200mW + 3pcs Green 50mW + 3pcs Blue 300mW) Fat Beam Moving Head Laser Bar Light Control modes: Sound, AUTO, DMX512 Master-Slave: All On, All Flash, Laser group flash. Function via LCD indicator. 2 units moving head laser lights are linked via XRL cable Beam angle: can be set to the angle at 0 to 180°. Each level is ±15°	1140*180*260mm	NW: 7.7KG Carton: 9.6KG	1pcs/Carton
	AYB03RGB	RGB 300mW( (Red 100mW 650nm, Green 50mW 532nm, Blue 150mW 450nm) ) Mini Moving Head Fat Beam Laser Light Control modes: Sound, AUTO, DMX512 Master-Slave Moving Horizontal angle: at 0 to 540°, Vertical angle: 0 to 270° Each level on horizontal angle is 2.1° and on vertical angle is 1.05°	460*350*480mm	NW: 2.94KG GW:3.65KG Carton: 15.5KG	4pcs/Carton
	AYA05RGB	RGB 500mW (Red 120mW 638nm+ Green 80mW 520nm + Blue 300mW 450nm) Mini Moving Head Animation 15Kpps Laser Light Control modes: Sound, AUTO, DMX512 Master-Slave Moving Horizontal angle: at 0 to 540°, Vertical angle: 0 to 270° Each level on horizontal angle is 2.1° and on vertical angle is 1.05°	480*410*390mm	NW: 2.94KG GW:3.65KG Carton: 15.5KG	4pcs/Carton
	AYA1WRGB	RGB 1W (Red: 300mW 638nm, Green: 100mW 525nm, Blue: 600mW 450nm) Moving Head Animation 25Kpps ILDA Laser Light Control modes: Sound, AUTO, DMX512 Master-Slave Moving Horizontal angle: at 0 to 540°, Vertical angle: 0 to 270° Each level on horizontal angle is 2.1° and on vertical angle is 1.05°. 2GB SD card:with hundreds of animations	590*450*450mm	NW: 11.35KG GW:14.49KG Carton: 15.71KG	1pcs/Carton
	AYA2WRGB	RGB 1W (Red: 300mW 638nm, Green: 100mW 525nm, Blue: 600mW 450nm) Moving Head Animation 25Kpps ILDA Laser Light Control modes: Sound, AUTO, DMX512 Master-Slave Moving Horizontal angle: at 0 to 540°, Vertical angle: 0 to 270° Each level on horizontal angle is 2.1° and on vertical angle is 1.05°. 2GB SD card:with hundreds of animations	590*450*450mm	NW: 11.35KG GW:14.49KG Carton: 15.71KG	1pcs/Carton
	AYA5WRGB	RGB 5W (Red: 1000mW , Green: 1000mW, Blue: 3000mW 450nm, blended white: 5000mW) Moving Head Animation 30Kpps ILDA Laser Light Control modes: Sound, AUTO, DMX512 Master-Slave Moving Horizontal angle: at 0 to 540°, Vertical angle: 0 to 270° Each level on horizontal angle is 2.1° and on vertical angle is 1.05°. 2GB SD card:with hundreds of animations	590*450*450mm	NW: 11.35KG GW:14.49KG Carton: 15.71KG	1pcs/Carton

\*Any color/power (watt) can be customized. Your specification request would be fulfilled by Arkadiko Technology.







Galvo Scanner Animation Laser Series

Image	Model	Description	Package Size / Unit	Weight (KG) / Unit	PCS/CTN
<p>*Multi effects:</p> <p>Animations: built-in 96 kinds of Geometric animations and 103 kinds of Cartoon Animations; *Beam mixed: sheet, dircles, waves, boxes, points;</p> <p>Working modes: AUTO, Sound, DMX, Master/slave, PC control;</p> <p>DMX mode: pattern selections, laser diode brightness adjustment for analogue modulation, color change, X/Y movement, dimmer, animations rotation, zoom in/out, drawing, etc;</p> <p>Under Auto/Sound/DMX mode: Beam angle was originally designed to split to very wide angle (about 60°);</p> <p>Under PC laser software control: Beam angle is the original scanner angle e.g., scanner 30° can only display max 30°, scanner 60° can only display max 60°.</p>					
					
 	AG1WG	1W Green 520nm 25K ILDA Animation Laser Light. TTL modulation	540*290*420mm	NW-2.2, GW-3.1	4pcs/Carton
	AG2WG	2W Green 525nm 25K ILDA Animation Laser Light. TTL modulation	400*340*300mm	NW-6.4, GW-7.9	1pcs/Carton
	AG3WG	3W Green 525nm 30K ILDA Animation Laser Light. TTL modulation	400*340*300mm	NW-6.4, GW-7.9	1pcs/Carton
 	AG4WG	4W Green 525nm 30K ILDA Animation Laser Light. TTL modulation	400*340*300mm	NW-6.4, GW-7.9	1pcs/Carton
	AG5WG	5W Green 525nm 30K ILDA Animation Laser Light. TTL modulation	400*340*300mm	NW-6.4, GW-7.9	1pcs/Carton
	AG10WG	10W Green 525nm 45K ILDA Animation Laser Light. TTL modulation	420*410*320mm	NW-11.7, GW-13.9	1pcs/Carton
 	AG2WB	2W Blue 450nm 25K ILDA Animation Laser Light. TTL modulation	540*290*420mm	NW: 2.2KG GW:3.1KG Carton: 13KG	4pcs/Carton
 	AG1WRGB	1W RGB 15K ILDA Animation Laser Light (Red: 300mW, Green: 100mW, Blue: 700mW 450nm, blended white: 1000mW). TTL modulation	540*290*420mm	NW-2.2, GW-3.1	4pcs/Carton
	AG2WRGB	2W RGB 25K ILDA Animation disco laser Light. (Red 400mW 638nm+ Green 600mW 520nm + Blue 1W 450nm, blended white: 2W) modulation: Analogue. with carton box, TTL modulation	540*290*420mm	NW-2.2, GW-3.1	4pcs/Carton
 	AG3WRGB	3W RGB 25K ILDA Animation disco laser Light. (Red 800mW 638nm+ Green 800mW 520nm + Blue 1.5W 450nm, blended white: 3W) modulation: Analogue. with carton box, Analogue modulation.	400*340*300mm	NW-6.4, GW-7.9	1pcs/Carton
	AG5WRGB	5W RGB 25K ILDA Animation disco laser Light. (Red 1W 638nm+ Green 1W 520nm + Blue 3W 450nm, blended white: 5W) ,Analogue modulation.	400*340*300mm	NW-6.4, GW-7.9	1pcs/Carton
 	AG6WRGB	6W RGB 25K ILDA Animation disco laser Light. (Red 2W 638nm+ Green 2W 520nm + Blue 2W 450nm, blended white: 6W) ; Analogue modulation	420*410*320mm	NW-11.2, GW-13.4	1pcs/Carton
	AG8WRGB	8W RGB 35K ILDA Animation disco laser Light. (Red 2W 638nm+ Green 2W 520nm + Blue 4W 450nm, blended white: 8W) modulation: Analogue. with carton box, 35K big scanner mirror size X:9*11mm Y:9*18mm	420*410*320mm	NW-11.2, GW-13.4	1pcs/Carton
 	AG10WRGB	10W RGB 35K ILDA Animation disco laser Light. (Red 3W 638nm+ Green 3W 520nm + Blue 4W 450nm, blended white: 10W) modulation: Analogue. with carton box, 35K big scanner mirror size X:9*11mm Y:9*18mm	420*410*320mm	NW-11.7, GW-13.9	1pcs/Carton
	AG15WRGB	15W RGB 35K ILDA Animation disco laser Light. (Red 4W 638nm+ Green 4W 520nm + Blue 7W 450nm, blended white: 15W) modulation: Analogue. with carton box, 35K big scanner mirror size X:9*11mm Y:9*18mm	420*410*320mm	NW-11.7, GW-13.9	1pcs/Carton

\*Any color/power (watt) can be customized. Your specification request would be fulfilled by Arkadiko Technology.










Galvo Scanner Animation Laser Series

Image	Model	Description	Package Size / Unit	Weight (KG) / Unit	PCS/CTN
 	AG20WRGB	20W RGB 35K ILDA Animation disco laser Light. (Red 6W 638nm+ Green 6W 520nm + Blue 8W 450nm, blended white: 20W) modulation: Analogue. with carton box, 35K big scanner mirror size X:9*11mm Y:9*18mm	420*410*320mm	NW-11.7, GW-13.9	1pcs/Carton
	AG25WRGB	25W RGB 35K ILDA Animation disco laser Light. (Red 7W 638nm+ Green 8W 520nm + Blue 11W 450nm, blended white: 25W) modulation: Analogue. with flightcase, 35K big scanner mirror size X:9*11mm Y:9*18mm	500*580*410mm	NW-20, GW-35	1pcs/Carton
 	AG30WRGB	30W RGB 35K ILDA Animation disco laser Light. (Red 8W 638nm+ Green 10W 520nm + Blue 12W 450nm, blended white: 30W) modulation: Analogue. with carton box, 35K big scanner mirror size X:9*11mm Y:9*18mm	500*580*410mm	NW-20, GW-35	1pcs/Carton
	AG40WRGB	40W RGB 35K ILDA Animation disco laser Light. (Red 13W 638nm+ Green 13W 520nm + Blue 15W 450nm, blended white: 40W) modulation: Analogue. with carton box,35K big scanner mirror size X:9*11mm Y:9*18mm	500*580*410mm	NW-20, GW-35	1pcs/Carton

\*Any color/power (watt) can be customized. Your specification request would be fulfilled by **Arkadiko Technology**.





Outdoor Waterproof ILDA Laser System Series

Image	Model	Description	Package Size / Unit	Weight (KG) / Unit	PCS/CTN
<p>IP rate: IPP65</p> <p>*Multi effects:</p> <p>Animations: built-in 96 kinds of Geometric animations and 103 kinds of Cartoon Animations;</p> <p>Beam mixed: sheet, dircles, waves, boxes, points;</p> <p>Working modes: AUTO, Sound, DMX, Master/slave, PC control;</p> <p>DMX mode: pattern selections, laser diode brightness adjustment for analogue modulation, color change, X/Y movement, dimmer, animations rotation, zoom in/out, drawing, etc;</p> <p>Under Auto/Sound/DMX mode: Beam angle was originally designed to split to very wide angle (about 60°);</p> <p>Under PC laser software control: Beam angle is the original scanner angle e.g., scanner 30° can only display max 30°, scanner 60° can only display max 60°.</p>					
					
	AO5WG	Green 5W 35kpps Outdoor IP65 Water-proof ILDA Laser system 2GB SD Card with hundreds of animations and free laser software, timing ON/OFF Overcurrent and overvoltage protected, leakage of electricity and lightning protection, and packed in flightcase	400*340*300mm 420*410*320mm	GW: 22KG	1pcs/Carton
	AO10WG	Green 10W 35kpps Outdoor IP65 Water-proof ILDA Laser system 2GB SD Card with hundreds of animations and free laser software, timing ON/OFF Overcurrent and overvoltage protected, leakage of electricity and lightning protection, and packed in flightcase	400*340*300mm 420*410*320mm	GW: 22KG	1pcs/Carton
	AO20WG	Green 20W 35kpps Outdoor IP65 Water-proof ILDA Laser system 2GB SD Card with hundreds of animations and free laser software, timing ON/OFF Overcurrent and overvoltage protected, leakage of electricity and lightning protection, and packed in flightcase	400*340*300mm 420*410*320mm	GW: 22KG	1pcs/Carton
	AO30WG	Green 30W 35kpps Outdoor IP65 Water-proof ILDA Laser system 2GB SD Card with hundreds of animations and free laser software, timing ON/OFF Overcurrent and overvoltage protected, leakage of electricity and lightning protection, and packed in flightcase	400*340*300mm 420*410*320mm	GW: 22KG	1pcs/Carton
	AO5WRGB	5W RGB 30kpps Outdoor IP65 Water-proof ILDA Laser system Red 1W 638nm, Green 2W 525nm, Blue 2W 450nm), 2GB SD Card with hundreds of animations and free laser software, timing ON/OFF, Overcurrent and overvoltage protected, leakage of electricity and lightning protection, and packed in flightcase	400*340*300mm 420*410*320mm	GW: 22KG	1pcs/Carton
	AO10WRGB	10W RGB 35kpps Outdoor IP65 Water-proof ILDA Laser system Red 3W 638nm Green 4W 525nm Blue 3W 450nm), 2GB SD Card with hundreds of animations and free laser software, timing ON/OFF, Overcurrent and overvoltage protected, leakage of electricity and lightning protection, and packed in flightcase	400*340*300mm 420*410*320mm	GW: 22KG	1pcs/Carton

\*Any color/power (watt) can be customized. Your specification request would be fulfilled by **Arkadiko Technology**.



Outdoor Waterproof ILDA Laser System Series

Image	Model	Description	Package Size / Unit	Weight (KG) / Unit	PCS/CTN
	AO20WRGB	20W RGB 35kpps Outdoor IP65 Water-proof ILDA Laser system Red 6W 638nm Green 6W 525nm Blue 8W 450nm), 2GB SD Card with hundreds of animations and free laser software, timing ON/OFF, Overcurrent and overvoltage protected, leakage of electricity and lightning protection, and packed in flightcase	400*340*300mm 420*410*320mm	GW: 22KG	1pcs/Carton
	AO30WRGB	30W RGB 35kpps Outdoor IP65 Water-proof ILDA Laser system Red 8W 638nm Green 10W 525nm Blue 12W 450nm), 2GB SD Card with hundreds of animations and free laser software, timing ON/OFF, Overcurrent and overvoltage protected, leakage of electricity and lightning protection, and packed in flightcase	400*340*300mm 420*410*320mm	GW: 22KG	1pcs/Carton

\*Any color/power (watt) can be customized. Your specification request would be fulfilled by **Arkadiko Technology**.