



Visual Technology Solutions

STAGE LED LIGHTS




C A T A L O G

Stage LED Lights

LED Par Light Series					
LED Indoor Par Light					
Image	Model	Description	Package Size / Unit	Weight (KG) / Unit	PCS/CTN
	AP34W	3 x 4W RGBW 4-IN-1 Mini LED Par Light Housing material: Plastic Power consumption: 15W Control modes: Auto/Sound/Remote control/DMX512(8CH) Voltage: AC110-220V, 50/60Hz	135*135*125mm	NW:0.41KG GW: 0.48KG	32pcs/Carton
	AP410W-Z	4 x 10W RGBW 4-IN-1 LED Zoom Par Light Housing material: Aluminum Power consumption: 60W Control modes: Auto/Sound control/Master-Slave/DMX512 (8CH) Voltage: AC110-220V, 50/60Hz	160*160*250mm	NW: 3.5KG GW: 4KG	4pcs/carton
	AP61W-UV	6 x 1W UV Mini LED Par Light Housing material: Plastic Power consumption: 27W Control modes: Auto/Sound control Voltage: AC90-220V, 50/60Hz	180*135*74mm	NW:0.3KG GW: 0.35KG	40pcs/Carton
	AP610W	6 x 10W RGBW 4-IN-1 LED Par Light with Remote Control Housing material: Plastic Power consumption: 60W Control modes: Auto/Sound/Remote control Voltage: AC110-220V, 50/60Hz	165*88*155mm"	NW: 0.45KG GW: 0.5KG	24pcs/Carton
	AP615W-B	6 x 15W RGBW 4-IN-1 LED Bee Eyes Par Light Housing material: Aluminum Power consumption: 100W Control modes: Auto/Sound control/Master-Slave/DMX512 (10/15CH) Strobe: 1-30times/second electronic and random strode Dimmer: 0-100% linear dimming Voltage: AC110-220V, 50/60Hz	inner box: 170*170*190mm carton: 360*360*400mm	NW:2.2KG GW:2.6KG	4pcs/carton
	AP710W	7 x 10W RGBW 4-IN-1 LED Par Light Housing material: Plastic Power consumption: 70W Control modes: Auto/Sound control/Master-Slave/DMX512 (7CH) Voltage: AC90-220V, 50/60Hz	195*108*185mm (inner box) 510*460*510mm (outer carton)	NW:1.5KG/pc GW: 34KG/20pcs	20pcs/Carton
	AP710W-6	7 x 10W RGBWAUV 6-IN-1 LED Par Light Housing material: Plastic Power consumption: 100W Control modes: Auto/Sound control/Master-Slave/DMX512 (6/10CH) Voltage: AC90-220V, 50/60Hz	195*108*185mm (inner box) 510*460*510mm (outer carton)	NW:1.5KG/pc GW: 34KG/20pcs	20pcs/Carton


*Any color/power (watt) can be customized. Your specification request would be fulfilled by Arkadiko Technology.

LED Par Light Series					
Image	Model	Description	Package Size / Unit	Weight (KG) / Unit	PCS/CTN
	APR710W	7 x 10W RGBW 4-IN-1 LED Par Light Housing material: Plastic Power consumption: 70W Control modes: Auto/Sound control/Master-Slave/DMX512 (8CH) Voltage: AC90-220V, 50/60Hz	195*108*185mm (inner box) 510*460*510mm (outer carton)	NW:1.5KG/pc GW: 34KG/20pcs	20pcs/Carton
	APR712W	7x 12W RGBWAUV 6-IN-1 LED Par Light Housing material: Aluminum Power consumption: 130W Control modes: Auto/Sound control/Master-Slave/DMX512 (6/10CH) Voltage: AC90-240V, 50/60Hz	260*260*370mm	NW: 3.15KG GW: 4KG	8pcs/carton
	APS94W-R	9 x 4W RGBW 4-IN-1 LED Square Par Light with Remote Control Housing material: Plastic Power consumption: 50W Control modes: Auto/Sound/Master-Slave/Remote control/DMX512 (8CH) Voltage: AC110-220V, 50/60Hz	260*260*380mm	NW: 0.7KG GW: 1.2KG	20pcs/Carton
	APR910W	9 x 10W RGBW 4-IN-1 LED Par Light Housing material: Plastic Power consumption: 90W Control modes: Auto/Sound control/Master-Slave/DMX512 (8CH) Voltage: AC90-220V, 50/60Hz	195*108*185mm (inner box) 510*460*510mm (outer carton)	NW:1.5KG/pc GW: 34KG/20pcs	20pcs/Carton
	AP931W	9x 3W RGB 3-IN-1 + 1PC 30W RGB 3-IN-1 LED Par Light Housing material: Plastic Power consumption: 80W Control modes: Auto/Sound control/Master-Slave/DMX512 (4/8CH) Voltage: AC90-240V, 50/60Hz	250*10*250cm	NW: 1.5KG GW: 2KG	8pcs/Carton
	APR12W	12 x 10W RGBW 4-IN-1 LED Par Light Housing material: Plastic Power consumption: 100W Control modes: Auto/Sound control/Master-Slave/DMX512 (8CH) Voltage: AC90-220V, 50/60Hz	195*108*185mm (inner box) 510*460*510mm (outer carton)	NW:1.5KG/pc GW: 34KG/20pcs	20pcs/Carton
	AP1410W	14 x 10W RGBW 4-IN-1 LED Par Light Housing material: Plastic Power consumption: 100W Control modes: Auto/Sound control/Master-Slave/DMX512 (8CH) Voltage: AC90-220V, 50/60Hz	195*108*185mm (inner box) 510*460*510mm (outer carton)	NW:1.5KG/pc GW: 34KG/20pcs	20pcs/Carton
	AP183W-UV	18 x 3W UV Mini LED Par Light with Remote Control LED Source:18x 3W UV LEDs, the actual power for each LED is 1W~1.5W. Housing material: Plastic Power consumption: 27W Control modes: Auto/Sound control/Remote/Master-Slave/DMX512 (7CH) Voltage: AC90-220V, 50/60Hz	135*135*125mm	NW:0.41KG GW: 0.48KG	32pcs/Carton
	AP181W	18 x 1W Single color RGB LED Par Light LED source: 6pcs*1W Red, 6pcs *1W Green, 6pcs*1W Blue Housing material: Plastic Power consumption: 30W Control modes: Auto/Sound control/Master-Slave/DMX512 (7CH) Voltage: AC90-220V, 50/60Hz	660*430*320mm (8pcs/carton)	NW:1.8KG GW:2.3kg	8pcs/Carton

*Any color/power (watt) can be customized. Your specification request would be fulfilled by Arkadiko Technology.

LED Par Light Series					
Image	Model	Description	Package Size / Unit	Weight (KG) / Unit	PCS/CTN
	AP181W-3	18 x 1W RGB 3-IN-1 LED Par Light Housing material: Plastic Power consumption: 30W Control modes: Auto/Sound control/Master-Slave/DMX512 (7CH) Voltage: AC90-220V, 50/60Hz	660*430*320mm (8pcs/carton)	NW:1.8KG GW:2.3kg	8pcs/Carton
	AP1810W	18 x 10W RGBW 4-IN-1 LED Par Light Housing material: Aluminium Power consumption: 180W Lens angle: 25° Control modes: Auto/Sound control/Master-Slave/DMX512 (8CH) Voltage: AC90-220V, 50/60Hz	270*80*260mm	NW:2.3KG GW:2.6kg	8pcs/Carton
	AP1810W-F	18 x 10W RGBW 4-IN-1 LED Par Light with Silent Mute Fan Housing material: Aluminium Power consumption: 180W Beam angle: 15-60° Control modes: Auto/Sound control/Master-Slave/DMX512 (8CH) Voltage: AC110-220V, 50/60Hz	270*80*260mm	NW:2.3KG GW:2.6kg	8pcs/Carton
	AP3010W	30 x 10W RGBW 4-IN-1 LED Par Light Housing material: Aluminum Power consumption: 200W Control modes: Auto/Sound control/Master-Slave/DMX512 (8CH) Feature: Colors can mixed to be different colors. Better washer effect Voltage: AC110-220V, 50/60Hz	240*150*250mm (inner box/pc) 490*260*540 (outer carton/8pcs)	NW:3.25KG GW:3.5KG	6pcs/carton
	AP361W	36 x 1W Single color RGB LED Par Light LED source: 12pcs*1W Red, 12pcs *1W Green, 12pcs*1W Blue Housing material: Plastic Power consumption: 60W Control modes: Auto/Sound control/Master-Slave/DMX512 (7CH) Voltage: AC110-220V, 50/60Hz	inner box: 290*270*273mm carton: 598*558*586mm	NW:1.8KG GW:2.3kg	8pcs/carton
	AP361W-1	36 x 1W Single color RGBW LED Par Light LED source: 6pcs*1W Red, 12pcs *1W Green, 12pcs*1W Blue, 6pcs*1W White Housing material: Plastic Power consumption: 60W Control modes: Auto/Sound control/Master-Slave/DMX512 (7CH) Voltage: AC110-220V, 50/60Hz	inner box: 290*270*273mm carton: 598*558*586mm	NW:1.8KG GW:2.3KG	8pcs/carton
	AP361W-3	36 x 1W RGB 3-IN-1 LED Par Light Housing material: Plastic Power consumption: 60W Control modes: Auto/Sound control/Master-Slave/DMX512 (7CH) Voltage: AC110-220V, 50/60Hz	inner box: 290*270*273mm carton: 598*558*586mm	NW:1.8KG GW:2.3KG	8pcs/carton
	AP36W-UV	36 x 3W UV LED Par Light Housing material: Plastic LED Source:18x 3W UV LEDs, the actual power for each LED is 1W~1.5W Power consumption: 60W Control modes: Auto/Sound control/Master-Slave/DMX512 (7CH) Voltage: AC110-220V, 50/60Hz	inner box: 290*270*273mm carton: 598*558*586mm	NW:1.8KG GW:2.3KG	8pcs/carton
	AP541W-UV	54 x 1.5W UV LED Par Light Housing material: Plastic Power consumption: 85W Control modes: Auto/Sound control/Master-Slave/DMX512 (4/8CH) Voltage: AC90-240V, 50/60Hz	230*220*120mm	NW:1.5KG GW:2KG	8pcs/carton

*Any color/power (watt) can be customized. Your specification request would be fulfilled by Arkadiko Technology.

LED Par Light Series					
Image	Model	Description	Package Size / Unit	Weight (KG) / Unit	PCS/CTN
	AP543W-F	54 x 3W RGB 3-IN-1 LED Par Light with Silent Mute Fan Housing material: Aluminium Power consumption: 180W Beam angle: 15-60° Control modes: Auto/Sound control/Master-Slave/DMX512 (8CH) Voltage: AC110-220V, 50/60Hz	245*130*255mm	NW:3KG GW:3.5KG	6pcs/carton
	AP543W	54 x 3W RGB 3-IN-1 High Bright LED Par Light Housing material: Aluminium Power consumption: 180W Control modes: Auto/Sound control/Master-Slave/DMX512 (8CH) Voltage: AC110-220V, 50/60Hz	565*565*42mm	NW:4.2KG GW:4.5KG	6pcs/carton
	AP721W	72 x 1W RGB 3-IN-1 LED Par Light Housing material: Plastic Power consumption: 110W Control modes: Auto/Sound control/Master-Slave/DMX512 (7CH) Voltage: AC110-220V, 50/60Hz	16.5*8.8*15.5cm (inner box/pc) 46*35*33cm (outer carton/20pcs)	NW:1.6KG/pc GW: 38KG/20pcs	20pcs/Carton


*Any color/power (watt) can be customized. Your specification request would be fulfilled by **Arkadiko Technology**.

LED Par Light Series					
LED Outdoor Par Light					
Image	Model	Description	Package Size / Unit	Weight (KG) / Unit	PCS/CTN
	APW412	4 x 12W RGBWAUV 6-IN-1 LED Par Light Housing material: Aluminum Power consumption: 80W IP Rate: IP65 waterproof Control modes: Auto/Sound control/Master-Slave/DMX512 (6/10CH) Voltage: AC90-240V, 50/60Hz	260*260*370mm	NW: 3.15KG GW: 4KG	6pcs/carton
	APW1812	18 x 12W RGBW 4-IN-1 LED Waterproof Par Light Housing material: Aluminum Power consumption: 200W IP Rate: IP65 waterproof Control modes: Auto/Sound control/Master-Slave/DMX512 (4/8, 5/9, 6/10CH) Voltage: AC90-240V, 50/60Hz	270*280*360mm	NW: 6.5KG GW: 7.5KG	6pcs/carton
	APW1812-5	18 x 12W RGBWA 5-IN-1 LED Waterproof Par Light Housing material: Aluminum Power consumption: 200W IP Rate: IP65 waterproof Control modes: Auto/Sound control/Master-Slave/DMX512 (5/9CH) Voltage: AC90-240V, 50/60Hz	270*280*360mm	NW: 6.5KG GW: 7.5KG	6pcs/carton
	APW1812-6	18 x 12W RGBWAUV 6-IN-1 LED Waterproof Par Light Housing material: Aluminum Power consumption: 200W IP Rate: IP65 waterproof Control modes: Auto/Sound control/Master-Slave/DMX512 (6/10CH) Voltage: AC90-240V, 50/60Hz	270*280*360mm	NW: 6.5KG GW: 7.5KG	6pcs/carton
	APW543	54 x 3W RGB 3-IN-1 LED Waterproof Par Light Housing material: Aluminum Power consumption: 200W IP Rate: IP65 waterproof Control modes: Auto/Sound control/Master-Slave/DMX512 (6/10CH) Voltage: AC100-240V, 50/60Hz	310*220*270mm	NW: 3.4KG GW: 4.2KG	6pcs/carton
	APW543-S	54 x 3W RGB 3-IN-1 LED Square Waterproof Par Light Housing material: Aluminum Power consumption: 200W IP Rate: IP65 waterproof Control modes: Auto/Sound control/Master-Slave/DMX512 (7CH) Voltage: AC100-240V, 50/60Hz	260*260*310mm	NW:4.1KG GW: 4.5KG	4pcs/carton

*Any color/power (watt) can be customized. Your specification request would be fulfilled by **Arkadiko Technology**.

LED Par Light Series					
LED COB Par Light					
Image	Model	Description	Package Size / Unit	Weight (KG) / Unit	PCS/CTN
	APC60-4	MINI LED 60W RGBW 4-IN-1 COB Par Light Housing material: Plastic Power consumption:60W Control modes: Auto/Sound control/Master-Slave/Remote control/ DMX512 (8CH) Voltage: AC110-220V, 50/60Hz	165*88*155mm	NW: 0.45KG GW: 0.5KG	24pcs/Carton
	APC60-W	MINI LED 60W Warm White COB Par Light Housing material: Aluminum Power consumption:100W Control modes: Auto/Sound control/Master-Slave/DMX512 (2/4CH) Dimmer: 0-100% Voltage: AC100-240V, 50/60Hz	160*120*180mm	NW: 1.5KG GW: 1.9KG	12pcs/carton
	APC150-W	LED 150W COB Audience stage blinder light (Warm white) Housing material: Aluminum Power consumption: 150W Control modes: Manual/Master-Slave/DMX512 (3CH) Luminous flux: 8624lm; Color temperature: 3200K; Lux:9601; Dimmer: 0-100%; Strobe: 0-25times/second Voltage: AC100-240V, 50/60Hz	178*154*260cm	NW: 2.8KG GW: 3.2KG	8pcs/carton
	APC200-W	LED 200W COB Par Light Studio Light (Warm White) Housing material: Aluminum Power consumption: 250W Control modes: Manual/Master-Slave/DMX512 (6/13/CH) Luminous flux: 8624lm; Color temperature: 6000K; Lux:9601; Dimmer: 0-100%; Strobe: 0-25times/second Voltage: AC100-240V, 50/60Hz	320*320*340mm	NW: 3.4KG GW: 4KG	4pcs/carton
	APC200-Z	High Bright LED 200W COB Zoom Par Light LED source: 200W LED COB Cool white/ Warm white (5700K tunable) Housing material: Aluminum Power consumption: 200W Control modes: Auto/Sound control/Master-Slave/DMX512 (2/3/4/5/CH) Feature: Built in multi effects for strobe, super bright. 0~100 dimmer; Voltage: AC90-250V, 50/60Hz	320*270*50mm	NW:3.8KG GW:4.5KG	4pcs/carton
	APC430	4x 30W RGB 3-IN-1 + 48pcs LEDs Panel LED Blinder Audience Light LED source: 4x 30W RGB 3-IN-1 + 48pcs SMD5050 RGBW 4-IN-1 LEDs Housing material: Plastic + Aluminum Power consumption: 150W Control modes: Auto/Sound control/Master-Slave/DMX512 (8CH) Voltage: AC110-220V, 50/60Hz	inner box: 220*220*300mm carton: 460*460*330mm	NW: 2.4KG GW: 3.0KG	4pcs/carton

*Any color/power (watt) can be customized. Your specification request would be fulfilled by Arkadiko Technology.

LED Moving Head Light Series					
Image	Model	Description	Package Size / Unit	Weight (KG) / Unit	PCS/CTN
	AGB10W	8 Gobos 10W Mini LED Spot Moving Head Light Control modes: Auto/Sound control/Master-Slave/DMX512 (9/11CH), manual zoom. Gobo wheel: 8 Gobos; Color wheel: 8 Colors (RGBW,pink,yellow,light blue,orange), with Rainbow color effect Rotation degree: Gobo wheel & Color wheel can be positive&negtive rotation. Voltage: AC90-240V, 50/60Hz	290*200*23mm	NW: 2.5KG GW: 3.2KG	4pcs/Carton
	AGB30W	8 Gobos 30W Mini LED Spot Moving Head Light (With LED strip is optional) Control modes: Auto/Sound control/Master-Slave/DMX512 (9/11CH), manual zoom. Gobo wheel: 8 Gobos; Color wheel: 8 Colors (RGBW,pink,yellow,light blue,orange), with Rainbow color effect Rotation degree: Gobo wheel & Color wheel can be positive&negtive rotation. Voltage: AC90-240V, 50/60Hz	290*200*23mm	NW: 2.5KG GW: 3.2KG	4pcs/Carton
	AGB60W	8 Gobos 60W Mini LED Spot Moving Head with Triple Prism + 12PCS RGB 3-in-1 LED Strip(No LED strip & triple prism is optional) Control modes: Auto/Sound control/Master-Slave/DMX512 (10/12CH) Gobo wheel: 8 Gobos; Color wheel: 8 Colors (RGBW,pink,yellow,light blue,orange), with Rainbow color effect. Rotation degree: X-axis: 540°, Y-axis: 270° Voltage: AC90-240V, 50/60Hz	290*200*230mm	NW: 2.5KG GW: 3.2KG	4pcs/Carton
	AGB80W	Multi Gobos 80W LED Spot Moving Head with Triple Prism(Bulit-in) Gobo wheel: *1x fixed gobo wheel: 10+1 gobos; * 1 rotation gobo wheel: 7+1 Color wheel: 13+white colors, with half-color effect Control modes: Auto/Sound control/Master-Slave/DMX512 (14CH) Strobe: 0.5-14times/second, pulse mode and random strobe Rotation degree: X-axis: 540° (8/16bits), Y-axis: 270° Voltage: AC90-240V, 50/60Hz	390*310*290mm	NW:7.8KG GW: 8.25KG	2pcs/Carton
	ABW60W	60W Mini LED Beam Moving Head + 12PCS RGB LED Strip Wash Control modes: Auto/Sound control/Master-Slave/DMX512 (10/13CH) Rotation degree: X-axis: 540°, Y-axis: 270° Strobe: 0.5-25times/Second with various stroboscopic effect Voltage: AC90-240V, 50/60Hz	290*200*230mm	NW:2.5KG GW:3.0KG	4pcs/Carton
	ADF156	Double Face 1pc x 40W RGBW 4-in-1 + 56pcs x 0.5W Bright White LED Moving Head Beam Light LED source:1pc x40W RGBW 4-in-1 + 56pcs x 0.5W Bright White, double face, both beam effects with different colors. Control modes: Auto/Sound control/Master-Slave/DMX512(12CH) Dimmer: 0-100% linear dimming Voltage: AC100-240V, 50/60Hz	170*145*245mm	NW:4.6KG GW:5.0KG	4pcs/Carton
	A4B10W	4 x 10W RGBW 4-in-1 MINI LED Moving Head Wash Light Control modes: Auto/Sound control/Master-Slave/DMX512(5CH/13CH) Power consumption: 80W; Display mode: LED digital display Scanning angle: Pan- 360°, Tilt-180° Voltage: AC90-220V, 50/60Hz	240*240*280mm	NW: 1.6KG GW: 2.4KG	4pcs/Carton
	A4B10W-M	Matrix High Bright 4 x 10W RGBW 4-in-1 Mini LED Moving Head Wash Light Control modes: Auto/Sound control/Master-Slave/DMX512(14/16CH) Scanning angle: Pan- 540°, Tilt-180° (16bits) Rotation: With 6pcs rotation patterns, pasitive & negtive rotation, speed is controllable Voltage: AC100-240V, 50/60Hz	260x190x230mm	NW: 2.65KG GW: 3.1KG	4pcs/Carton
	A4B25W	4 x 25W Super Bright LED Beam Moving Head with RGBW Color Wheel Power consumption:150W; Wheel color: RGBW Control modes: Auto/Sound control/Master-Slave/DMX512 (9/15CH) Rotation degree: X-axis: 540°, Y-axis: 270° Dimmer: 0-100% linear dimming Voltage: AC90-240V, 50/60Hz"	450*320*25mm	NW:7.5KG GW:8KG	2pcs/Carton



*Any color/power (watt) can be customized. Your specification request would be fulfilled by Arkadiko Technology.

LED Moving Head Light Series					
Image	Model	Description	Package Size / Unit	Weight (KG) / Unit	PCS/CTN
	A4B10W-Z	4 x10W RGBW 4-in-1 Mini LED Osram Zoom Moving Head Wash Light Control modes: Auto/Sound control/Master-Slave/DMX512(11/14CH) Housing color option: Black or White Scanning angle: Pan- 540°, Tilt- 270° Beam angle: 10 - 45 degree Voltage: AC90-240V, 50/60Hz	29.5*20.5*23.5cm	NW: 2.45KG GW: 3.2KG	4pcs/Carton
	A7B10W	7 x 10W RGBW 4-in-1 Mini LED Moving Head Wash Light Housing color option: Black or White Control modes: Auto/Sound control/Master-Slave/DMX512 (5/13CH) Dimmer: 0-100% linear dimming Scanning angle: Pan- 540°, Tilt-270° Voltage: AC90-240V, 50/60Hz	270*220*25mm	NW: 2.7KG GW: 3.5KG	4pcs/Carton
	A2GW60W	2-in-1 60W Gobo + 6 x10W RGBW 4-in-1 Wash Mini LED Moving Head Light LED source: 1x 60W gobo effect (in the middle) + 6pcs x 10W RGBW 4-in-1 Wash effect Control modes: Auto/Sound control/Master-Slave/DMX512 (8CH) Dimmer: 0-100% linear dimming Scanning angle: Pan- 540°, Tilt-270° Strobe: 1-20times/second, speed is controllable Voltage: AC90-240V, 50/60Hz	255*230*320mm	NW: 2.15KG GW: 2.5KG	4pcs/Carton
	A6B15W	6 x 15W RGBW 4-in-1 Mini LED Moving Head Bee Eye Beam Light Control modes: Auto/Sound control/Master-Slave/DMX512(10CH/15CH) Scanning angle: Pan- 540°/1.5S, Tilt-180°/0.5S Rotation angle: 360° Lens degree standard: 1.5° Spot angle:Minimum 6°, Maximum 51° Voltage: AC90-260V, 50/60Hz"	Product size: 226*268*155(mm) Carton Size: 260*280*350(mm)	NW: 3.8KG GW: 5.7KG	4pcs/Carton
	A18B3W	18 x 3W RGB Mini LED Moving Head Wash Light LED Source : 6PCS x Red, 6PCS x Green, 6PCS x Blue Control modes: Auto/Sound control/Master-Slave/DMX512(5/12CH) Scanning angle: Pan- 540°, Tilt-270° Voltage: AC90-260V, 50/60Hz	260*260*290mm	NW: 3KG GW: 3.8KG	4pcs/Carton
	A2H30W	2 Head 2x 30W RGBW 4-in-1 LED Moving Head Light with 2*12pcs LED Strip Light source: 2PCS x 30W RGBW 4-in-1 + 2 x 12pcs LEDs Strip Control modes: Auto/Sound control/Master-Slave/DMX512 (16/22CH), manual zoom Rotation degree: X-axis: Infinite rotating, Y-axis:180° Dimmer: 0-100% linear dimming Voltage: AC100-240V, 50/60Hz	48*36*36cm	NW: 5.75KG GW: 6.5KG	4pcs/Carton
	A4H10W	4x 10W RGBW 4-in-1 LED Moving Head Beam Light Control modes: Auto/Sound control/Master-Slave/DMX512 (12/19CH) LED source: 4x 10W RGBW 4-in-1 Cree LEDs Rotation degree: X-axis: 540°, Y-axis: 270° Feature: 4 pcs moving head can be with simultaneous or separate control Voltage: AC90-240V, 50/60Hz	540*200*300mm	NW: 6.3KG GW: 7.2KG	2pcs/Carton
	A4H60W	4 Head 4x 60W RGBW 4-in-1 High Bright LED Moving Head Light Powe consumption: 260W Control modes: Auto/Sound control/Master-Slave/DMX512 (12/72CH), manual zoom Rotation degree: X-axis: 540°, Y-axis:180° Voltage: AC100-240V, 50/60Hz	410*410*280mm (inner) 430*430*580mm (outer)	NW: 7KG GW:8KG	2pcs/Carton
	A6H10W	6 Head 6 x 10W RGBW 4-in-1 Cree LED Moving Head Beam Light Control modes: Auto/Sound control/Master-Slave/DMX512 (12CH) Power consumption: 60W Rotation degree: X-axis: Infinite rotating, Y-axis: 200° Dimmer: 0-100% linear dimming Voltage: AC100-240V, 50/60Hz 200°	300*280*300mm	NW: 4.5KG GW: 5KG"	4pcs/Carton


*Any color/power (watt) can be customized. Your specification request would be fulfilled by Arkadiko Technology.

LED Moving Head Light Series					
Image	Model	Description	Package Size / Unit	Weight (KG) / Unit	PCS/CTN
	A2H610	2 Sides(6pcs Each)12pcs x 10W RGBW 4-in-1 LED Moving Head Beam Light LED source: 12pcs x 10W RGBW 4-in-1 at 2 Sides(6pcs Each) Control modes: Auto/Sound control/Master-Slave/DMX512 (11/14CH) Power consumption: 120W Voltage: AC90-240V, 50/60Hz	440*310*410mm	NW: 9.4KG GW:11.2KG	2pcs/Carton
	A8B3W	8x 3W RGBW 4-in-1 LED Spider Moving Head Beam Light LED source: 8 x 3W RGBW 4-in-1, total 24W Control modes: Auto/Sound control/Master-Slave/DMX512 (8CH) Voltage: AC100-240V, 50/60Hz	480*360*360mm	NW:2.55KG GW:3.2KG	4pcs/Carton
	A8B10W	8x 10W RGBW 4-in-1 Cree LED Spider Moving Head Beam Light LED source: Cree LEDs - 8 x 10W RGBW 4-in-1, total 24W Control modes: Auto/Sound control/Master-Slave/DMX512 (11/18CH) Dimming: 0-100% linear dimming Voltage: AC100-240V, 50/60Hz	450*290*180mm	NW:4.5KG GW:5.35KG	2pcs/Carton
	A8H10W	8x 10W RGBW 4-in-1 LED Moving Head Beam Light Control modes: Auto/Sound control/Master-Slave/DMX512 (12/19CH) Rotation degree: X-axis: 540°, Y-axis: Infinite rotating Dimming: 0-100% linear dimming Voltage: AC90-240V, 50/60Hz	360*305*205mm	NW:3.9KG GW:5KG	4pcs/Carton
	A9H3W	9x 3W RGBW 4-in-1 LED Mini Spider Moving Head Beam Light LED source: 9 x 3W RGBW 4-in-1, total 27W Control modes: Auto/Sound control/Master-Slave/DMX512 (12/19CH) Dimming: 0-100% linear dimming Voltage: AC90-240V, 50/60Hz	650*330*440mm	NW: 4.55KG GW: 5.2KG	4pcs/Carton
	A9H10W	Matrix 9 x 10W RGBW 4-in-1 Bright LED Moving Head Transformer Light Control modes: Auto/Sound control/Master-Slave/DMX512 (15/20/47CH) Rotation degree: X-axis: Infinite rotating, 2 Y-axis stretch; Single row: 180° Strobe: 1-10times/second Dimmer: 0-100% linear dimming Voltage: AC100-240V, 50/60Hz	310*210*370mm	NW: 5.75KG GW: 6.5KG	4pcs/Carton
	ADF912	Double Face 9x3W Gold + 12x4W RGBW 4-in-1 LED Moving Head Beam Light LED source: 9X3W Gold + 12x4W RGBW 4-in-1, double face with different LEDs and colors Control modes: Auto/Sound control/Master-Slave/DMX512(10/18/25CH) Rotation degree: X-axis: 540°, Y-axis: Infinite rotating Dimmer: 0-100% linear dimming Voltage: AC90-260V, 50/60Hz	265*149*389mm	NW: 6.2KG GW: 7KG	2pcs/Carton
	A12B10W	12 x10W RGBW 4-in-1 Cree LED Moving Head Ball Light Control modes: Auto/Sound control/Master-Slave/DMX512(13/15CH) Rotation degree: X-axis: 540°(Positive and negative positioning rotation), Y-axis: Infinite rotating Dimmer: 0-100% linear dimming Strobe: 1-12times/second, or pulse mode stobe Voltage: AC90-240V, 50/60Hz	300*280*300mm	NW: 4.7KG GW: 5.5KG	4pcs/Carton
	A16B3W	16 x 3W RGBW 4-in-1 Cree LED Moving Head Ball (Cube) Light Control modes: Auto/Sound control/Master-Slave/DMX512(13/15CH) Rotation degree: X-axis: 540°, Y-axis: Infinite rotating Dimmer: 0-100% linear dimming Strobe: 1-12times/second, or pulse mode stobe Voltage: AC90-240V, 50/60Hz	430*390*580mm	NW: 3.5KG GW: 4.2KG	4pcs/Carton

*Any color/power (watt) can be customized. Your specification request would be fulfilled by Arkadiko Technology.

LED Washer Bar Light Series					
Image	Model	Description	Package Size / Unit	Weight (KG) / Unit	PCS/CTN
	AB410W	4 x 10W RGBW 4-IN-1 High Bright LED Moving Head Bar Light Power consumption:150W Control modes: Auto/Sound control/Master-Slave/DMX512 (9/28CH) Scanning angle: Pan- 540°, Tilt-270° Feature: 4 pcs moving head can be with simultaneous or separate control Voltage: AC100-240V, 50/60Hz	120*350*350mm	NW: 9.5KG GW: 10KG	2pcs/Carton
	AB810W	8 x 10W RGBW 4-IN-1 LED Moving Beam Bar Light Power consumption:150W Control modes: Auto/Sound control/Master-Slave/DMX512 (5/14CH) Dimmer: 0-100% linear dimming Voltage: AC100-240V, 50/60Hz	110*160*620mm	NW: 8.5KG GW: 9KG	2pcs/Carton
	AB93W-UV	9 x 3W UV LED Indoor Wall Washer Bar Light LED Source: 3W LEDs but the actual power is 1.1~1.3W each Housing: Aluminum Control modes: Power On/Off Voltage: AC100-240V, 50/60HZ	300*48*55mm	NW: 0.75KG GW: 0.9KG	12pcs/Carton
	AB93W-UV-R	9 x 3W UV LED Indoor Wall Washer Bar Light with Remote Control LED Source: 3W LEDs but the actual power is 1.1~1.3W each Housing: Aluminum Control modes: Remote control Voltage: AC100-240V, 50/60HZ	300*48*55mm	NW: 0.81KG GW: 0.1KG	12pcs/Carton
	AB123W-UV	12 x 3W UV LED Indoor Wall Washer Bar Light LED Source: 3W LEDs but the actual power is 1.1~1.3W each Housing: Aluminum Control modes: Power On/Off Voltage: AC100-240V, 50/60HZ	350*48*55mm	NW: 0.8KG GW: 1KG	12pcs/Carton
	AB123W-UV-R	12 x 3W UV LED Indoor Wall Washer Bar Light with Remote Control LED Source: 3W LEDs but the actual power is 1.1~1.3W each Housing: Aluminum Control modes: Remote control Voltage: AC100-240V, 50/60HZ	350*48*55mm	NW: 0.86KG GW: 1.16KG	12pcs/Carton
	ABS63W-UV	6 x 3W UV LED Indoor Wall Washer Bar Light LED Source: 3W LEDs but the actual power is 1.1~1.3W each Housing: Aluminum Control modes: Power On/Off Voltage: AC100-240V, 50/60HZ	370*76*75mm (inner) 395*390*475mm (outer)	NW: 0.55KG CW: 15KG	25pcs/Carton
	ABS93W-UV	9 x 3W UV LED Indoor Wall Washer Bar Light LED Source: 3W LEDs but the actual power is 1.1~1.3W each Housing: Aluminum Control modes: Power On/Off Voltage: AC100-240V, 50/60HZ	627*75*77mm (inner) 635*225*335mm (outer)	NW: 0.9KG CW: 12KG	12pcs/Carton
	ABS123W-UV	12 x 3W UV LED Indoor Wall Washer Bar Light LED Source: 3W LEDs but the actual power is 1.1~1.3W each Housing: Aluminum Control modes: Power On/Off Voltage: AC100-240V, 50/60HZ	627*75*77mm (inner) 635*225*335mm (outer)	NW: 0.95KG CW: 12.6KG	12pcs/Carton

*Any color/power (watt) can be customized. Your specification request would be fulfilled by Arkadiko Technology.

LED Washer Bar Light Series					
Image	Model	Description	Package Size / Unit	Weight (KG) / Unit	PCS/CTN
	ABS183W-UV	18 x 3W UV LED Indoor Wall Washer Bar Light LED Source: 3W LEDs but the actual power is 1.1~1.3W each Housing: Aluminum Control modes: Power On/Off Voltage: AC100-240V, 50/60HZ	795*122*75mm (inner) 810*400*265mm (outer)	NW: 1.155KG CW: 14.5KG	10pcs/Carton
	ABS243W-UV	24 x 3W UV LED Indoor Wall Washer Bar Light LED Source: 3W LEDs but the actual power is 1.1~1.3W each Housing: Aluminum Control modes: Power On/Off Voltage: AC100-240V, 50/60HZ	103*102*75mm (inner) 810*400*265mm (outer)	NW: 1.35KG CW: 17.65KG	10pcs/Carton
	AB145W	14 x 5W Amber (Warm white) + 84 x 0.5W RGB 3-IN-1 Full Color LED Indoor Wall Washer Bar Light LED Source: 14x 5W Amber color (Warm white)+ 84 x 0.5W RGB 3-IN-1 Housing: Aluminum Power consumption: 120W Control modes: Auto/Sound control/Master-Slave/DMX512 (6/9/84/89CH) Voltage: AC100-240V, 50/60HZ	998*78*138mm	NW: 3.2KG GW: 5KG	4pcs/Carton
	AB1812W	18 x 12W RGBWAUV 6-IN-1 LED Indoor Bar Wall Washer Light Housing: Aluminum Power consumption: 200W Control modes: Auto/Sound control/Master-Slave/DMX512 (6/10CH) Voltage: AC90-240V, 50/60HZ	1000*75*115mm	NW: 6.5KG GW: 7KG	4pcs/Carton
	AB1810W	18 x 10W RGBW 4-IN-1 Waterproof LED Outdoor Bar Wall Washer Housing: Aluminum Power consumption: 200W Control modes: Auto/Sound control/Master-Slave/DMX512 (4/8CH) IP Rating: IP65 Waterproof Voltage: AC90-240V, 50/60HZ	1000*95*145mm	NW: 8.5KG GW: 9KG	4pcs/Carton
	AB2410W	24 x 10W RGB 3-IN-1 LED Indoor Wall Washer Bar Light Housing: Aluminum Power consumption: 200W Control modes: Auto/Sound control/Master-Slave/DMX512 (6/10CH) Voltage: AC90-240V, 50/60HZ	1000*90*160mm	NW: 3.KG GW: 5KG	4pcs/Carton
	AB2410W-W	24 x 10W RGBW 4-IN-1 Waterproof LED Outdoor Wall Washer Bar Light Housing: Aluminum Power consumption: 200W Control modes: Auto/Sound control/Master-Slave/DMX512 (4/8CH) IP Rating: IP65 Waterproof Voltage: AC90-240V, 50/60HZ	1080*110*170mm	NW: 3.6KG GW: 5.2KG	4pcs/Carton
	AB72RGB	72 x 0.5W RGB 3-IN-1 LED Indoor Wall Washer Bar Light LED Source: 72pcs x 0.5W LEDs but the actual power is 25W total Housing: Aluminum Control modes: Auto/Sound control/Master-Slave/DMX512 (8CH) Voltage: AC100-240V, 50/60HZ	625*78*78mm	NW: 1.0KG CW: 1.1KG	12pcs/Carton
	AB108RGB	108 x 0.5W RGB 3-IN-1 LED Indoor Wall Washer Bar Light LED Source: 108pcs x 0.5W LEDs but the actual power is 25W~30W total Housing: Aluminum Control modes: Auto/Sound control/Master-Slave/DMX512 (8CH) Voltage: AC100-240V, 50/60HZ	625*78*78mm	NW: 1.0KG CW: 1.1KG	12pcs/Carton

*Any color/power (watt) can be customized. Your specification request would be fulfilled by Arkadiko Technology.

LED Effect Light Series					
Image	Model	Description	Package Size / Unit	Weight (KG) / Unit	PCS/CTN
	AEMB4W	4W RGB Super Mini LED USB Disco Ball Light Housing material: Plastic Control modes: Auto/Sound Gift Box Package: 1x 4W RGB USB disco ball with an Android adapter Extra 0.25\$ for IOS adaptor, and 0.15\$ for Type-C adaptor Voltage: 5 Volts	210*210*200mm /100pcs	NW:0.022KG GW: 3.2KG/CTN	100pcs/Carton
	AEMB4W-I	4W RGB Super Mini LED USB Disco Ball Light Housing material: Plastic Control modes: Auto/Sound Gift Box Package: 1x 4W RGB USB disco ball with an Android adapter Extra 0.25\$ for IOS adaptor, and 0.15\$ for Type-C adaptor Voltage: 5 Volts	250*250*240mm /100pcs	NW:0.03KG GW: 4KG/CTN	100pcs/Carton
	AEB3W	3W RGB LED Stage Magic Ball Light Housing material: Plastic Control modes: Auto/Sound Beam angle: 120 degree Power consumption: 6W Voltage: AC90-220V, 50/60Hz	Inner: 115*105*115mm Outer: 585*225*595mm	NW:0.3KG GW: 0.35KG	50PCS/Carton
	AEB3W-R	3W RGB LED Stage Magic Ball Light Housing material: Plastic Control modes: Auto/Sound/Remote control Beam angle: 120 degree Power consumption: 6W Voltage: AC90-220V, 50/60Hz	Inner: 115*105*115mm Outer: 585*225*595mm	NW:0.3KG GW: 0.35KG	50PCS/Carton
	AEB3W-RW	3W RGB LED Stage Magic Ball Light (Water wave effects) Housing material: Plastic Control modes: Auto/Sound/Remote control Beam angle: 120 degree Power consumption: 6W Voltage: AC90-220V, 50/60Hz	Inner: 115*105*115mm Outer: 585*225*595mm	NW:0.3KG GW: 0.35KG	50PCS/Carton
	AEB9W-RN	9W 9 Colors LED Bluetooth MP3 Magic Ball Light/ Night Light Housing material: Plastic Control modes: Auto/Sound/Remote control Beam angle: 120 degree Voltage: AC90-220V, 50/60Hz	Inner: 115*115*121mm Outer: 492*250*388mm	NW:0.3KG GW: 0.33KG	50PCS/Carton

*Any color/power (watt) can be customized. Your specification request would be fulfilled by **Arkadiko Technology**.